



**{In Archive} Pineview**

**Aaron Setran** to: Rich Campbell  
Cc: David Albright

06/06/2011 10:07 AM

From: Aaron Setran/R9/USEPA/US  
To: Rich Campbell/R9/USEPA/US@EPA,  
Cc: David Albright/R9/USEPA/US@EPA  
Archive: This message is being viewed in an archive.

Rich:

As a follow-up to our discussion last week, below are a few options available to us with regard to the most recent Sheldrew letter. The key question for EPA is whether or not we need to respond to the letter. The letter, as you know, respectfully informs EPA that the Pineview HOA is not going to comply with EPA's requirements via EPA's "Duty to Provide Information" letter, sent February 15, 2011. EPA's letter requires PTP, the HOA and Mark Kaiser to increase monthly gw monitoring to a weekly schedule, increase gw monitoring to sample "all" gw monitoring wells on site (right now, they only sample 4 of 8 wells), and lastly, to employ a functional flow measuring system for the wwtp.

We've not received a response from PTP nor Kaiser.

Options:

[REDACTED]

[REDACTED] b5 b7 [REDACTED]

Let me know what you think, and if you see other options which are different from the ones presented above. Aaron

Aaron Carr Setran  
U.S. EPA, Water Division  
75 Hawthorne St.  
San Francisco, CA 94105  
(415) 972-3457